



DEEP SUBWOOFERS

OVERVIEW

The Deep Subwoofer Collection from Origin Acoustics presents refined, subdued aesthetics coupled with surprisingly powerful low-frequency reproduction. With four available models, an appropriate power level can be selected for any room or configuration. The easy set knobs put control back in your hands, and the 5V USB port powers most modern wireless receivers.

PRODUCT ID



PASSIVE RADIATOR

Each SUBD8, SUBD10, AND SUBD12 contain a high-quality downward-facing composite radiator and a powerful front-firing driver. These features allow true-to-life sound by improving bass response and reducing unwanted frequencies.

MODERN DESIGN

Inspired by one of the greatest periods of American industrial design, Deep Subwoofers are a subtle yet elegant addition to any sound system. Enjoy deep tones and rich sonic environments without an unsightly black box dominating your space.

ON BOARD CONTROLS

The onboard controls allow you to dial in the subwoofer to your unique living situations easily. The phase, volume, and crossover are all comfortably accessed with large knobs on the rear.



DEEP SUBWOOFERS



SUBD8

Part	SUBD8000
Active Woofer	Active Woofer 8" Composite
Passive Woofer	Passive Woofers 8" Composite
Output Power	150W
Input	Analog Line Level (RCA) & LFE
Frequency Response	30Hz-300Hz
Low Pass Filter	80Hz - 300Hz
Auto-On	5mV
Auto Off	20min
Dimensions w/out Feet	11" W x 11" L x 11" H - without feet (280 W x 280 L x 280 H mm)
Dimensions w/ Feet	11" W x 11" L x 12.7" H - with feet (280 W x 280 L x 323 H mm)
Power Usage:	
Stand by: (no signal)	0.7W
ON (no signal):	6W
Max Power:	175W

SUBD10

Part	SUBD10000
Active Woofer	Active Woofer 10" Composite
Passive Woofer	Passive Woofers 10" Composite
Output Power	Output Power 300W
Input	Analog Line Level (RCA) & LFE
Frequency Response	30Hz-320Hz
Low Pass Filter	55Hz-320Hz +/-3dB
Auto-On	5mV
Auto Off	20min
Dimensions w/out Feet	13.5" W x 13.5" L x 12.7" H - without feet (344 W x 344 L x 323 H mm)
Dimensions w/ Feet	13.5" W x 13.5" L x 14.4" H - with feet (344 W x 344 L x 366 H mm)
Power Usage:	
Stand by: (no signal)	1W
ON (no signal):	8W
Max Power:	360W



Please visit docs.originacoustics.com or scan the QR code using your smart device for the most up to date specifications and use instructions for this product. Products may only be purchased through an authorized integration partner.

DEEP SUBWOOFERS



SUBD12

Part	SUBD12000
Active Woofer	12" Composite
Passive Woofer	12" Composite
Output Power	500W
Input	Analog Line Level (RCA) & LFE
Frequency Response	30Hz-290Hz
Low Pass Filter	58Hz-290Hz +/-3dB
Auto-On	5mV
Auto Off	18 min
Dimensions w/out Feet	17" W x 17" L x 17" H - without feet (432 W x 432 L x 432 H mm)
Dimensions w/ Feet	17" W x 17" L x 18.7" H - with feet (432 W x 432 L x 474 H mm)
Power Usage:	
Stand by: (no signal)	0.5W
ON (no signal):	10.8W
Max Power:	629W

SUBDD12

Part	SUBDD1200
Active Woofer	12" Composite
Passive Woofer	12" Composite
Output Power	600W
Input	Line In & LFE
Frequency Response	30Hz-290 Hz
Low Pass Filter	58Hz-290 Hz +/-3dB
Auto-On	5mV
Auto Off	20 min
Dimensions w/out Feet	17" W x 17" L x 17" H - without feet (432 W x 432 L x 432 H mm)
Dimensions w/ Feet	17" W x 17" L x 18.7" H - with feet (432 W x 432 L x 474 H mm)
Power Usage:	
Stand by: (no signal)	0.5W
ON (no signal):	10.7W
Max Power:	730W




Please visit docs.originacoustics.com or scan the QR code using your smart device for the most up to date specifications and use instructions for this product. Products may only be purchased through an authorized integration partner.




DEEP SUBWOOFERS

LINE DRAWINGS



SUBD8



SUBD10




Please visit docs.originacoustics.com or scan the QR code using your smart device for the most up to date specifications and use instructions for this product. Products may only be purchased through an authorized integration partner.


DEEP SUBWOOFERS



LINE DRAWINGS



SUBD12



SUBDD12



Please visit docs.originacoustics.com or scan the QR code using your smart device for the most up to date specifications and use instructions for this product. Products may only be purchased through an authorized integration partner.

03-13-24